

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|-------|--|---|
| 1 | BRS | L1 | 13498 | saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6) | USPAT |
| 2 | BRS | L2 | 0 | 1 and ((lut or table) with saturtion) | USPAT |
| 3 | BRS | L3 | 432 | 1 and ((lut or table) with saturation) | USPAT |
| 4 | BRS | L4 | 19 | 3 and attribute | USPAT |
| 5 | BRS | L5 | 10 | 4 and parameter | USPAT |
| 6 | BRS | L6 | 680 | 1 same (lut or table) | USPAT |
| 7 | BRS | L7 | 185 | 6 and parameter | USPAT |
| 8 | BRS | L8 | 27 | 6 and parameter and attribute | USPAT |
| 9 | BRS | L9 | 4181 | saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6) | US-PGPUB |
| 10 | BRS | L10 | 253 | 9 same (lut or table) | US-PGPUB |
| 11 | BRS | L11 | 2 | 10 same attribute | US-PGPUB |
| 12 | BRS | L12 | 5322 | saturat\$3 with (correct\$3 or calibrat\$3 or conver\$6) | EPO; JPO; DERWEN T; IBM_TD B |
| 13 | BRS | L13 | 128 | 12 same (lut or table) | EPO; JPO; DERWEN T; IBM_TD B |
| 14 | BRS | L14 | 1 | 13 same attribute | EPO; JPO; DERWEN T; IBM_TD B |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|--|-----------------------------|
| 1 | BRS | L1 | 1 | (saturation with correct\$6) with parameter | EPO |
| 2 | BRS | L2 | 1 | (saturation with correct\$6) with parameter | EPO |
| 3 | BRS | L3 | 17 | (saturation with correct\$6) with parameter | DERWEN T |
| 4 | BRS | L4 | 1 | ((saturation with correct\$6) with parameter) same attribute | DERWEN T |
| 5 | BRS | L5 | 2 | ((saturation with correct\$6) with parameter) same attribute | EPO; JPO; DERWEN T |
| 6 | BRS | L6 | 0 | ((saturation with correct\$6) with parameter) same attribute | USPAT |
| 7 | BRS | L7 | 1 | (saturation with correct\$6) same parameter same attribute | USPAT |
| 8 | BRS | L8 | 181 | (saturation with correct\$6) same parameter | USPAT |
| 9 | BRS | L9 | 181 | (saturation with correct\$6) same parameters | USPAT |
| 10 | BRS | L11 | 1 | (saturation with correct\$6) same parameters same attribute | USPAT |
| 11 | BRS | L10 | 181 | (saturation with correct\$6) same parameters | USPAT |
| 12 | BRS | L12 | 14 | ((saturation with correct\$6) same parameters) and attribute | USPAT |